MODULAR ADJUSTABLE WIRE SHELVING

SYSTEMS AND PRODUCTS FOR SPACE CONTROL, STORAGE AND HANDLING

General Specifications:

FINISHES:

Epoxy Coated EPS & EG Series have 6 mil thick coating which is twice as thick as most other epoxy coated shelving. Ten year warranty against rust and corrosion.

Poly-Z Series has a 6 mil clear epoxy coating over zinc-chromate electro plating. Fifteen year warranty against rust and corrosion.

Chrome Series has a nickel-chrome electro plating. One year warranty against rust and corrosion. (For dry storage only.)

Load Capacity: 600-800 lbs. Per shelf evenly distributed, depending upon the size. Maximum load per assembled unit not to exceed 2,000 lbs. without casters. Front to back rib wires are 0.157" thick – approximately 10% heavier than other brands.

NSF CERTIFIED

Other finishes and colors available on special order.

ALL UNITS MUST BE ORDERED AS COMPONENT PARTS.
BASIC FOUR SHELF UNIT CONSISTS OF FOUR SHELVES AND FOUR POSTS.
ORDER AS MANY SHELVES PER UNIT AS REQUIRED.

WIRE SHELF
Shelf includes plastic clips

Shelves adjust on 1" increments. Numbered posts for quick assembly.

| Size (W" x L")	EPOXY PLATINUM SILVER Model No.	EPOXY GREEN Model No.	CHROME Model No.	POLY-Z Model No.
14 x 24	S1424EPS	S1424EG	S1424C	S1424Z
14 x 30	S1430EPS	S1430EG	S1430C	S1430Z
14 x 36	S1436EPS	S1436EG	S1436C	S1436Z
14 x 42	S1442EPS	S1442EG	S1442C	S1442Z
14 x 48	S1448EPS	S1448EG	S1448C	S1448Z
14 x 54	S1454EPS	S1454EG	S1454C	S1454Z
14 x 60	S1460EPS	S1460EG	S1460C	S1460Z
14 x 72	S1472EPS	S1472EG	S1472C	S1472Z
18 x 24	S1824EPS	S1824EG	S1824C	S1824Z
18 x 30	S1830EPS	S1830EG	S1830C	S1830Z
18 x 36	S1836EPS	S1836EG	S1836C	S1836Z
18 x 42	S1842EPS	S1842EG	S1842C	S1842Z
18 x 48	S1848EPS	S1848EG	S1848C	S1848Z
18 x 54	S1854EPS	S1854EG	S1854C	S1854Z
18 x 60	S1860EPS	S1860EG	S1860C	S1860Z
18 x 72	S1872EPS	S1872EG	S1872C	S1872Z
21 x 24	S2124EPS	S2124EG	S2124C	S2124Z
21 x 30	S2130EPS	S2130EG	S2130C	S2130Z
21 x 36	S2136EPS	S2136EG	S2136C	S2136Z
21 x 42	S2142EPS	S2142EG	S2142C	S2142Z
21 x 48	S2148EPS	S2148EG	S2148C	S2148Z
21 x 54	S2154EPS	S2154EG	S2154C	S2154Z
21 x 60	S2160EPS	S2160EG	S2160C	S2160Z
21 x 72	S2172EPS	S2172EG	S2172C	S2172Z
24 x 24	S2424EPS	S2424EG	S2424C	S2424Z
24 x 30	S2430EPS	S2430EG	S2430C	S2430Z
24 x 36	S2436EPS	S2436EG	S2436C	S2436Z
24 x 42	S2442EPS	S2442EG	S2442C	S2442Z
24 x 48	S2448EPS	S2448EG	S2448C	S2448Z
24 x 54	S2454EPS	S2454EG	S2454C	S2454Z
24 x 60	S2460EPS	S2460EG	S2460C	S2460Z
24 x 72	S2472EPS	S2472EG	S2472C	S2472Z

Shelves packed four per carton, except 54", 60", 72" long shelves, which are packed two per carton.

Add-on unit consists of 2 posts, 4 shelves, plastic clips and two S-hooks for each shelf in the height, shelf size, and finish indicated.

For set-up in a straight line.

For set-up at right angles.

For set-up at right angles.

Post

With leveling screw and top cap. 1" round steel tubing. Numbered and grooved on 1" increments for adjustability.

Size (Inches)	EPOXY PLATINUM SILVER Model No.	EPOXY GREEN Model No.	CHROME Model No.	POLY-Z Model No.
6	P6EPS	P6EG	P6C	P6Z
14	P14EPS	P14EG	P14C	P14Z
34	P34EPS	P34EG	P34C	P34Z
54	P54EPS	P54EG	P54C	P54Z
63	P63EPS	P63EG	P63C	P63Z
66	P66EPS	P66EG	P66C	P66Z
74	P74EPS	P74EG	P74C	P74Z
86	P86EPS	P86EG	P86C	P86Z
96	P96EPS	P96EG	P96C	P96Z

NOTE: Special lengths available.
Posts are packed four per carton.

Stem Caster
Model No. CA5SBR

Non-marking black resilient rubber wheels with donut bumpers.
Load rating of 250 lbs. ea.
Set of four – 2 with brakes
5" x 1¼" wheel diameter.
Other types of casters available.Call for information.

Economy Dunnage Rack

Consists of:
    Four 14" posts with levelers
    One standard wire shelf
    One three-sided frame
    Plastic clips
Finish: Epoxy Platinum Silver

Size (W" x L")	Model No.
18 x 30	ED1830EPS
18 x 36	ED1836EPS
18 x 48	ED1848EPS

Load Capacity: 600 Lbs.

Heavy Duty Dunnage Rack

Low profile rack features removable top decking.
Consists of:
    Four 14" posts with levelers
    One heavy duty dunnage shelf
    One three sided frame
    Plastic clips
Finish: Epoxy Platinum Silver

Size (W" x L")	Model No.
18 x 30	DR1830EPS
18 x 36	DR1836EPS
18 x 48	DR1848EPS

Load Capacity: 1,200 Lbs.

Heavy Duty Mobile Dunnage Rack

Overall height 12"
Consists of:
    Four 6" posts
    One heavy duty dunnage shelf
    One three sided frame
    Plastic clips
    Four rubber swivel casters
    5" wheel – 2 with brakes
Finish: Epoxy Platinum Silver

Size (W" x L")	Model No.
18 x 30	DM1830EPS
18 x 36	DM1836EPS
18 x 48	DM1848EPS

Load Capacity: 1,000 Lbs.

SYSTEMS

Three Sided Frame

Used when structural integrity of a unit is required without using a shelf.

- 1" square tubing
- Epoxy Platinum Silver finish
- Includes plastic clips

Size (W" x L")	Model No.
18 x 30	DF1830EPS
18 x 36	DF1836EPS
18 x 48	DF1848EPS

Dunnage Shelf

- 1" square tubing frame
- Removable wire deck
- Load capacity 1,200 lbs.
- Epoxy Platinum Silver finish
- Includes plastic clips

Size (W" x L")	Model No.
18 x 30	DS1830EPS
18 x 36	DS1836EPS
18 x 48	DS1848EPS

Heavy Duty Shelving Units

Order as Components

4 Shelf Unit consists of:
4 Posts –
4 Dunnage Shelves –
Size and Quantity as Required

3 Shelf Unit consists of:
4 Posts –
3 Dunnage Shelves –
2 Three-Sided Frames –
Size and Quantity as Required

Features:

- **High Visibility**
- 2" square wire grid mesh panels
- Double doors open full 270°
- Accommodates standard lock (not included)
- Stationary unit includes adjustable levelers 66" high

- Mobile unit 69" high, includes rubber swivel casters and bumpers – 5" wheel, 2 with brakes
- Finish is Epoxy Platinum Silver
- Shown with two optional interior shelves

Size (W" x L")	Stationary Unit Model No.	Mobile Unit Model No.	Optional Interior Shelf
24 x 36	SU2436EPS	ST2436EPS	S2436EPS
24 x 48	SU2448EPS	ST2448EPS	S2448EPS
24 x 60	SU2460EPS	ST2460EPS	S2460EPS

Size (W" x L")	2 Side Panels and Back Model No.	Door Set Model No.
24 x 36	SP2436EPS	SD36EPS
24 x 48	SP2448EPS	SD48EPS
24 x 60	SP2460EPS	SD60EPS

Stortec Systems Security Units to protect your inventory.

Wall Mount Shelf Brackets

One Pair of Brackets Required per Shelf

- Epoxy Platinum Silver finish
- Includes 4 chrome collar caps
- Mounting hardware not included
- Order shelf separately – Size as required

Size "	Model No.
14	AB14EPS
18	AB18EPS
21	AB21EPS
24	AB24EPS

3 Sided Enclosure Unit

- 2" square wire mesh grid
- Back and side panels can be ordered separately. *(See page 6)*
- Epoxy Platinum Silver finish
- Shown with two optional intermediate shelves
- 66" high posts with adjustable levelers

| Size (W" x L")	Model No.	Optional Intermediate Shelves
24 x 36	EP2436EPS	S2436EPS
24 x 48	EP2448EPS	S2448EPS
24 x 60	EP2460EPS	S2460EPS

Simple Assembly

Posts have grooves and numbers at 1" increments along entire height.

Snap a pair of plastic clips into the groove on each upright at desired height.

Tapered collars in each corner of shelf slide over plastic clips. As shelf load increases, wedge lock action increases in strength.

Stand unit upright and tap shelves down in all 4 corners until firmly seated. To install additional shelves where desired, repeat steps.

SYSTEMS

Shelf Clip – 4 Pair
Model No. AM

S-Hook – Use two for each add-on shelf
Model No. AS

Foot Plate
Model No. AF

Post Cap – Used on top of post
Model No. AP

Post Leveler Bolt & Insert
Model No. AX

Safety Push Handles

Make maneuvering simple. Safety push handle keeps hands within cart width preventing bumps with walls and objects. Epoxy Platinum Silver.

Width in Inches	Model No.
18	AE18EPS
24	AE24EPS

Shelf Dividers

Installs easily without the use of bolts, nuts or clips. Attaches at any point along shelf. 8" high. Epoxy Platinum Silver.

Size in Inches	Model No.
14	AD814EPS
18	AD818EPS
21	AD821EPS
24	AD824EPS

Ledges

Size in Inches	Model No.
14	AL414EPS
18	AL418EPS
21	AL421EPS
24	AL424EPS
30	AL430EPS
36	AL436EPS
42	AL442EPS
48	AL448EPS
54	AL454EPS
60	AL460EPS
72	AL472EPS

4" high ledges snap onto the edge of the shelf, they can be stacked one on top of the other to create higher ledges and can be used on any side of the shelf or all four sides. Epoxy Platinum Silver.

Label Holder – Clear Plastic

Length in Inches	Model No.
3"	ABM3
12"	ABM12
24"	ABM24

DISTRIBUTED BY: